



TEXFILTRA, S.L.
C.I.F. B60 198 546
C/Costa i Déu núm. 63
08205 Sabadell
Barcelona (España)



Tel. 34 93 712 34 27 Fax. 34 93 720 80 00
Info@texfiltra.es
www.texfiltra.es

Ref. 7700
Fabric Width (cm) 160

Technical Specifications

Permeability (DIN-53887:1986) [liters/dm ² /min a 20mmwg (±20%)]	10
---	-----------

Characteristics

Composition	Polypropylene
Weave	Twill
Weight (ISO-3801-1977) [g/m ²]	560
Thickness (EN-ISO-5084-1997) [mm]	1,44
Warp Composition	Staple Fiber
Weft Composition	Staple Fiber
Warp Density [Threads/cm]	22
Weft Density [Threads/cm]	11
Vertical Strength 5cm (EN-ISO-13934-1:1999) [kg - N]	360 - 3600
Horizontal Strength 5cm (EN-ISO-13934-1:1999) [kg - N]	400 - 4000
Particle Retention Capacity (TEXMAX-60255) [Ø=a µm]	29,1
Finish	Heat Set

Revision 21/03/2017